

## MAXFORCE® FC MAGNUM ROACH KILLER BAIT GEL

Version 3.0 / USA Revision Date: 10/01/2020 102000015432 Print Date: 10/02/2020

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

**Product identifier** 

Trade name MAXFORCE® FC MAGNUM ROACH KILLER BAIT GEL

Product code (UVP) 06101320

**SDS Number** 102000015432

432-1460 **EPA Registration No.** 

Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

Restrictions on use See product label for restrictions.

Information on supplier

**Supplier** Bayer Environmental Science

> A division of Bayer CropScience LP 5000 Centregreen Way, Suite 400

Cary, NC 27513

USA

**Responsible Department** Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

**Emergency Telephone** 

Number (24hr/ 7 days)

**Product Information Telephone Number** 

1-800-334-7577

1-800-331-2867

## **SECTION 2: HAZARDS IDENTIFICATION**

## Classification in accordance with regulation HCS 29CFR §1910.1200

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

## **Hazards Not Otherwise Classified (HNOC)**

No physical hazards not otherwise classified. No health hazards not otherwise classified.

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**Hazardous Component Name** CAS-No. Concentration % by weight

**Fipronil** 120068-37-3 0.05



# MAXFORCE® FC MAGNUM ROACH KILLER BAIT GEL

 Version 3.0 / USA
 Revision Date: 10/01/2020

 102000015432
 Print Date: 10/02/2020

#### **SECTION 4: FIRST AID MEASURES**

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

**Inhalation** Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

**Skin contact** Wash off immediately with plenty of water for at least 15 minutes. Take

off contaminated clothing and shoes immediately. Call a physician or

poison control center immediately.

**Eye contact** Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

**Ingestion** Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms The following symptoms may occur:, Restlessness, Anxiety, Tremors

Indication of any immediate medical attention and special treatment needed

**Treatment** Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended.

### **SECTION 5: FIREFIGHTING MEASURES**

Extinguishing media

Suitable Dry chemical, Foam, Water, Carbon dioxide (CO2)

**Unsuitable** High volume water jet

Special hazards arising from the substance or

Dangerous gases are evolved in the event of a fire.

mixture

Advice for firefighters

Special protective equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. Firefighters should wear NIOSH approved self-contained breathing apparatus and

full protective clothing.



## MAXFORCE® FC MAGNUM ROACH KILLER BAIT GEL

Version 3.0 / USA Revision Date: 10/01/2020 102000015432 Print Date: 10/02/2020

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Flash point

Auto-ignition temperature

Lower explosion limit

Upper explosion limit

No data available

Not applicable

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

**Precautions** Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal.

**Reference to other sections** Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

## **SECTION 7: HANDLING AND STORAGE**

Precautions for safe handling

**Advice on safe handling** Product will stain porous surfaces. Use only in area provided with

appropriate exhaust ventilation.

Advice on protection against fire and explosion

Do not use this product in or on electrical equipment due to the

possibility of shock hazard.

Hygiene measures Remove Personal Protective Equipment (PPE) immediately after

handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean

clothing.

Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.



## MAXFORCE® FC MAGNUM ROACH KILLER BAIT GEL

Version 3.0 / USA Revision Date: 10/01/2020 102000015432 Print Date: 10/02/2020

## Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep out of reach of children and animals. Keep away from direct sunlight. Keep containers tightly closed in a dry, cool and well-ventilated

place

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Fipronil	120068-37-3	0.035 mg/m3		OES BCS*
		(TWA)		

<sup>\*</sup>OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

### **Exposure controls**

## Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection Respiratory protection is not required under anticipated

circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's

instructions regarding wearing and maintenance.

**Hand protection** Chemical resistant nitrile rubber gloves

**Eye protection** Safety glasses with side-shields

**Skin and body protection** Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

## Information on basic physical and chemical properties

Form gel

Colourlight brownOdourcharacteristicOdour ThresholdNo data availablepHNo data available



## MAXFORCE® FC MAGNUM ROACH KILLER BAIT GEL

Version 3.0 / USA Revision Date: 10/01/2020 102000015432 Print Date: 10/02/2020

Melting point/range No data available

**Boiling Point** 

No data available

Flash point No data available **Flammability** No data available **Auto-ignition temperature** No data available

Minimum ignition energy Not applicable Self-accelarating

decomposition temperature

(SADT)

No data available

**Upper explosion limit** No data available Lower explosion limit No data available Vapour pressure No data available **Evaporation rate** No data available Relative vapour density No data available Relative density No data available Density 1.0 g/cm<sup>3</sup> (20 °C)

Water solubility soluble

Partition coefficient: n-

octanol/water

No data available

Viscosity, dynamic 40,000 - 115,000 cps (25 °C)

Viscosity, kinematic No data available **Oxidizing properties** No data available **Explosivity** Not applicable

Other information Further safety related physical-chemical data are not known.

## **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

Thermal decomposition Stable under normal conditions.

**Chemical stability** Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.



## MAXFORCE® FC MAGNUM ROACH KILLER BAIT GEL

Version 3.0 / USA Revision Date: 10/01/2020 102000015432 Print Date: 10/02/2020

**Conditions to avoid** Extremes of temperature and direct sunlight.

Exposure to moisture.

**Incompatible materials** Strong oxidizing agents, Strong bases, Strong acids

**Hazardous decomposition** 

products

No decomposition products expected under normal conditions of use.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

**Exposure routes** Eye contact, Skin Absorption, Ingestion

**Immediate Effects** 

**Eye** May cause eye irritation.

**Skin** Harmful if absorbed through skin.

**Ingestion** Not expected to produce significant adverse effects when

recommended use instructions are followed.

**Inhalation** Not expected to produce significant adverse effects when

recommended use instructions are followed.

Information on toxicological effects

Acute oral toxicity LD50 (male/female combined Rat) > 5,000 mg/kg

Acute inhalation toxicity

Not relevant

Inhalation is no relevant route of exposure for this formulation. No

volatility, no aerosols under normal conditions.

Acute dermal toxicity LD50 (male/female combined Rabbit) > 2,000 mg/kg

**Skin corrosion/irritation** Slight irritant effect - does not require labelling. (Rabbit)

Serious eye damage/eye

irritation

Minimally irritating. (Rabbit)

**Respiratory or skin** Skin: Non-sensitizing. (Guinea pig) **sensitisation** OECD Test Guideline 406, Buehler test

Assessment STOT Specific target organ toxicity - single exposure

Fipronil: Based on available data, the classification criteria are not met.

### Assessment STOT Specific target organ toxicity - repeated exposure

Fipronil caused specific target organ toxicity in experimental animal studies in the following organ(s): Liver. Fipronil caused neurobehavioral effects and/or neuropathological changes in animal studies.

#### Assessment mutagenicity

Fipronil was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Fipronil caused an increased incidence of tumours in rats in the following organ(s): Thyroid. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to



## MAXFORCE® FC MAGNUM ROACH KILLER BAIT GEL

Version 3.0 / USA Revision Date: 10/01/2020 102000015432 Print Date: 10/02/2020

humans.

**ACGIH** 

None.

**NTP** 

None.

**IARC** 

None.

**OSHA** 

None.

### Assessment toxicity to reproduction

Fipronil caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Fipronil is related to parental toxicity.

## Assessment developmental toxicity

Fipronil did not cause developmental toxicity in rats and rabbits.

## **Aspiration hazard**

Based on available data, the classification criteria are not met.

## **Further information**

Acute toxicity studies have been bridged from a similar formulation(s).

The non-acute information pertains to the active ingredient(s).

### **SECTION 12: ECOLOGICAL INFORMATION**

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 0.25 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient fipronil.

Toxicity to aquatic

invertebrates

EC50 (Daphnia magna (Water flea)) 0.19 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient fipronil.

LC50 (Mysidopsis bahia (mysid shrimp)) 0.14 μg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient fipronil.

Chronic toxicity to aquatic

invertebrates

NOEC (Mysidopsis bahia (mysid shrimp)): 0.0077 µg/l

Exposure time: 28 d

The value mentioned relates to the active ingredient fipronil.

Toxicity to aquatic plants EC50 (Desmodesmus subspicatus (green algae)) 0.068 mg/l

Exposure time: 96 h



## MAXFORCE® FC MAGNUM ROACH KILLER BAIT GEL

Version 3.0 / USA Revision Date: 10/01/2020 102000015432 Print Date: 10/02/2020

The value mentioned relates to the active ingredient fipronil.

**Biodegradability** Fipronil:

Not rapidly biodegradable

**Koc** Fipronil: Koc: 427 - 1278

**Bioaccumulation** Fipronil: Bioconcentration factor (BCF) 321

Does not bioaccumulate.

Mobility in soil Fipronil: Slightly mobile in soils

Results of PBT and vPvB assessment

PBT and vPvB assessment This substance is not considered to be persistent, bioaccumulative and

toxic (PBT). This substance is not considered to be very persistent and

very bioaccumulative (vPvB).

Additional ecological

information

No other effects to be mentioned.

**Environmental precautions** Do not allow to get into surface water, drains and ground water.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Apply this product as specified on the label.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

**Product** It is best to use all of the product in accordance with label directions. If it

is necessary to dispose of unused product, please follow container label

instructions and applicable local guidelines.

Never place unused product down any indoor or outdoor drain.

**Contaminated packaging** Do not re-use empty containers.

Place empty container in trash.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

### **SECTION 14: TRANSPORT INFORMATION**

**49CFR** Not dangerous goods / not hazardous material

**IMDG** 

UN number 3082
Class 9
Packaging group III
Marine pollutant YES



# MAXFORCE® FC MAGNUM ROACH KILLER BAIT GEL

Version 3.0 / USA Revision Date: 10/01/2020 102000015432 Print Date: 10/02/2020

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(FIPRONIL SOLUTION)

IATA

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(FIPRONIL SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN

**POISON** 

### **SECTION 15: REGULATORY INFORMATION**

EPA Registration No. 432-1460

**US Federal Regulations** 

**TSCA list** 

 Water
 7732-18-5

 Sucrose
 57-50-1

 Soybean oil
 8001-22-7

 Syrups, corn, hydrogenated
 68425-17-2

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

## **US States Regulatory Reporting**

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

**US State Right-To-Know Ingredients** 

Sucrose 57-50-1 MN, RI Soybean oil 8001-22-7 MN, RI

### **Environmental**



10/11

# MAXFORCE® FC MAGNUM ROACH KILLER BAIT GEL

Version 3.0 / USA Revision Date: 10/01/2020 102000015432 Print Date: 10/02/2020

## **CERCLA**

None.

Clean Water Section 307(a)(1)

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

### **EPA/FIFRA Information:**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

**Hazard statements:** Harmful if absorbed through skin.

Causes moderate eye irritation.

#### **SECTION 16: OTHER INFORMATION**

### Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49
ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances
IARC International Agency for Research on Cancer
IATA International Air Transport Association
IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

### NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard



# MAXFORCE® FC MAGNUM ROACH KILLER BAIT GEL

11/11 Version 3.0 / USA Revision Date: 10/01/2020 102000015432 Print Date: 10/02/2020

Reason for Revision: The following sections have been revised: Section 11: Toxicological Information. Section 12. Ecological information. Section 14: Transport Information. Reviewed and updated for general editorial purposes.

**Revision Date: 10/01/2020** 

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.