

MAXFORCE® FC SELECT PROFESSIONAL INSECT CONTROL ROACH KILLER BAIT GEL

Version 4.0 / USA 10200005017

1/11 Revision Date: 07/16/2021 Print Date: 07/17/2021

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier	
Trade name	MAXFORCE® FC SELECT PROFESSIONAL INSECT CONTROL ROACH KILLER BAIT GEL
Product code (UVP)	05955564
SDS Number	10200005017
EPA Registration No.	432-1259
Relevant identified uses of th	e substance or mixture and uses advised against
Use	Insecticide
Restrictions on use	See product label for restrictions.
Information on supplier	
Supplier	Bayer Environmental Science A division of Bayer CropScience LP 5000 Centregreen Way, Suite 400 Cary, NC 27513 USA
Responsible Department	Email: SDSINFO.BCS-NA@bayer.com
Emergency telephone no.	
Emergency Telephone Number (24hr/ 7 days)	1-800-334-7577
Product Information Telephone Number	1-800-331-2867

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified. No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

BAYER

MAXFORCE® FC SELECT PROFESSIONAL INSECT CONTROL ROACH KILLER BAIT GEL

Version 4.0 / USA 10200005017

2/11 Revision Date: 07/16/2021 Print Date: 07/17/2021

Hazardous Component Name Fipronil **CAS-No.** 120068-37-3

Concentration % by weight 0.01

SECTION 4: FIRST AID MEASURES

Description of first aid measures

•		
General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.	
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.	
Skin contact	Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Call a physician or poison control center immediately.	
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.	
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.	
Most important symptoms and effects, both acute and delayed		
Symptoms	The following symptoms may occur:, Restlessness, Anxiety, Tremors	
Indication of any immediate	medical attention and special treatment needed	
Treatment	Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.	

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media	
Suitable	Dry chemical, Foam, Water, Carbon dioxide (CO2)
Unsuitable	High volume water jet



MAXFORCE® FC SELECT PROFESSIONAL INSECT CONTROL ROACH KILLER BAIT GEL

Version 4.0 / USA 10200005017

3/11 Revision Date: 07/16/2021 Print Date: 07/17/2021

Special hazards arising from the substance or mixture	Dangerous gases are evolved in the event of a fire.
Advice for firefighters	
Special protective equipment for firefighters	Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.
Further information	Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.
Flash point	Not applicable
Auto-ignition temperature	No data available
Lower explosion limit	No data available
Upper explosion limit	No data available
Explosivity	No data available

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures		
Precautions	Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.	
Methods and materials for containment and cleaning up		
Methods for cleaning up	Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.	
Additional advice	Use personal protective equipment. If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal.	
Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.	

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Product will stain porous surfaces. Use only in area provided with appropriate exhaust ventilation.
Advice on protection against fire and explosion	Do not use this product in or on electrical equipment due to the possibility of shock hazard.
Hygiene measures	Remove Personal Protective Equipment (PPE) immediately after



MAXFORCE® FC SELECT PROFESSIONAL INSECT CONTROL ROACH KILLER BAIT GEL

Version 4.0 / USA 102000005017 **4/11** Revision Date: 07/16/2021 Print Date: 07/17/2021

	handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.	
Conditions for safe storage, including any incompatibilities		
Requirements for storage areas and containers	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of reach of children and animals. Keep away from direct sunlight.	
Advice on common storage	Keep away from food, drink and animal feedingstuffs.	

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Fipronil	120068-37-3	0.035 mg/m3		OES BCS*
		(TWA)		

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

Formulated product

Respiratory protection	Respiratory protection is not required under anticipated circumstances of exposure.
Hand protection	Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile rubber or Viton)
Eye protection	Safety glasses with side-shields
Skin and body protection	Wear long-sleeved shirt and long pants and shoes plus socks.
General protective measures	Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physica	I and chemical properties
Form	gel
Colour	light brown
Odour	sweet



MAXFORCE® FC SELECT PROFESSIONAL INSECT CONTROL ROACH KILLER BAIT GEL

Version 4.0 / USA 10200005017

5/11 Revision Date: 07/16/2021 Print Date: 07/17/2021

No data available
No data available
No data available
No data available
Not applicable
No data available
soluble
No data available
55,000 - 180,000 cps (25 °C) 40,000 - 115,000 cps (25 °C)
No data available
No data available
No data available

SECTION 10: STABILITY AND REACTIVITY

ReactivityStable under normal conditions.Chemical stabilityStable under recommended storage conditions.



MAXFORCE® FC SELECT PROFESSIONAL INSECT CONTROL ROACH KILLER BAIT GEL

Version 4.0 / USA 10200005017

6/11 Revision Date: 07/16/2021 Print Date: 07/17/2021

Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
Conditions to avoid	Extremes of temperature and direct sunlight. Exposure to moisture.
Incompatible materials	Strong oxidizing agents, Strong bases, Strong acids
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Eye contact, Skin Absorption, Skin contact, Ingestion		
Immediate Effects Eye	May cause eye irritation.		
Skin	Harmful if absorbed through skin.		
Ingestion	Not expected to produce significant adverse effects when recommended use instructions are followed.		
Inhalation	Not expected to produce significant adverse effects when recommended use instructions are followed.		
Information on toxicological effects			
Acute oral toxicity	LD50 (male/female combined Rat) > 5,000 mg/kg		
Acute inhalation toxicity			
	No data available		
Acute dermal toxicity	LD50 (male/female combined Rat) > 5,000 mg/kg		
Skin corrosion/irritation	slight irritation (Rabbit)		
Serious eye damage/eye irritation	Minimally irritating. (Rabbit)		
Respiratory or skin sensitisation	Non-sensitizing. (Guinea pig)		

Assessment STOT Specific target organ toxicity – single exposure

Fipronil: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Fipronil caused specific target organ toxicity in experimental animal studies in the following organ(s): Liver. Fipronil caused neurobehavioral effects and/or neuropathological changes in animal studies.

Assessment mutagenicity

Fipronil was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity



MAXFORCE® FC SELECT PROFESSIONAL INSECT CONTROL ROACH KILLER BAIT GEL

Version 4.0 / USA 10200005017

7/11 Revision Date: 07/16/2021 Print Date: 07/17/2021

Fipronil caused an increased incidence of tumours in rats in the following organ(s): Thyroid. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Fipronil caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Fipronil is related to parental toxicity.

Assessment developmental toxicity

Fipronil did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Acute toxicity studies have been bridged from a similar formulation(s). The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 0.25 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient fipronil.
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 0.19 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient fipronil.
	LC50 (Mysidopsis bahia (mysid shrimp)) 0.14 µg/l Exposure time: 96 h The value mentioned relates to the active ingredient fipronil.
Chronic toxicity to aquatic	NOEC (Mysidopsis bahia (mysid shrimp)): 0.0077 μg/l



MAXFORCE® FC SELECT PROFESSIONAL INSECT CONTROL ROACH KILLER BAIT GEL

Version 4.0 / USA 10200005017

8/11 Revision Date: 07/16/2021 Print Date: 07/17/2021

invertebrates	Exposure time: 28 d The value mentioned relates to the active ingredient fipronil.		
Toxicity to aquatic plants	EC50 (Desmodesmus subspicatus (green algae)) 0.068 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient fipronil.		
Biodegradability	Fipronil: Not rapidly biodegradable		
Кос	Fipronil: Koc: 427 - 1278		
Bioaccumulation	Fipronil: Bioconcentration factor (BCF) 321 Does not bioaccumulate.		
Mobility in soil	Fipronil: Slightly mobile in soils		
Results of PBT and vPvB assessment			
PBT and vPvB assessment	This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).		
Additional ecological information	No other effects to be mentioned.		
Environmental precautions	Do not allow to get into surface water, drains and ground water. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Apply this product as specified on the label.		

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods	
Product	It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines. Never place unused product down any indoor or outdoor drain.
Contaminated packaging	Do not re-use empty containers. Wrap and discard in trash. Follow advice on product label and/or leaflet.
RCRA Information	Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.



MAXFORCE® FC SELECT PROFESSIONAL INSECT CONTROL ROACH KILLER BAIT GEL

Version 4.0 / USA 10200005017

9/11 Revision Date: 07/16/2021 Print Date: 07/17/2021

According to national and international transport regulations this material is not classified as dangerous goods / hazardous material.

Freight Classification:

INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN POISON

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-1259 **US Federal Regulations TSCA** list Water 7732-18-5 Sucrose 57-50-1 Soybean oil 8001-22-7 Syrups, corn, hydrogenated 68425-17-2 acrylic polymer 9003-01-4 US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D) No export notification needs to be made. SARA Title III - Section 302 - Notification and Information Not applicable. SARA Title III - Section 313 - Toxic Chemical Release Reporting None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients Sucrose Soybean oil	57-50-1 8001-22-7	MN, RI MN, RI
Environmental CERCLA None. Clean Water Section 307(a)(1) None. Safe Drinking Water Act Maximum Co None.	ontaminant Levels	

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification



MAXFORCE® FC SELECT PROFESSIONAL INSECT CONTROL ROACH KILLER BAIT GEL

Version 4.0 / USA 10200005017

10/11 Revision Date: 07/16/2021 Print Date: 07/17/2021

criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Hazard statements:Keep exposed gel away from open food and food contact surfaces.
Harmful if absorbed through skin.
Causes moderate eye irritation.

SECTION 16: OTHER INFORMATION

Abbreviations and a	cronyme					
49CFR	Code of Federal Regulations, Title 49					
ACGIH		US. ACGIH Threshold Limit Values				
ATE		Acute toxicity estimate				
CAS-Nr.		Chemical Abstracts Service number				
CERCLA	Comprehensive E	Comprehensive Environmental Response, Compensation, and Liability Act				
EINECS		European inventory of existing commercial substances				
ELINCS	European list of n	European list of notified chemical substances				
IARC	International Ager	International Agency for Research on Cancer				
IATA	International Air Transport Association					
IMDG		International Maritime Dangerous Goods				
N.O.S.	•	Not otherwise specified				
NTP	US. National Toxicology Program (NTP) Report on Carcinogens					
OECD		Organization for Economic Co-operation and Development				
TDG	•	Transportation of Dangerous Goods				
TWA	5	Time weighted average				
UN	United Nations					
WHO	WHO World health organisation					
NFPA 704 (National	Fire Protection Asso	ociation):				
Health - 1	Flammability - 1	Instability - 0	Others - none			
HMIS (Hazardous M Health - 1	aterials Identification Flammability - 1	System, based on the Physical Hazard - 0	Third Edition Ratings Guide) PPE -			
0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard						

Reason for Revision: The following sections have been revised: Section 8: Exposure Controls / Personal Protection. Section 12. Ecological information. Reviewed and updated for general editorial purposes.

Revision Date: 07/16/2021

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information is provided in good faith but without express or implied warranty. The customer assumes



MAXFORCE® FC SELECT PROFESSIONAL INSECT CONTROL ROACH KILLER BAIT GEL

Version 4.0 / USA 10200005017

11/11 Revision Date: 07/16/2021 Print Date: 07/17/2021

all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.