

## **TEMPRID® FX INSECTICIDE**

Version 3.0 / USA 102000019505

**1/12**Revision Date: 01/11/2017
Print Date: 04/24/2019

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name

TEMPRID® FX INSECTICIDE

Product code (UVP)

79521359

**SDS Number** 

102000019505

EPA Registration No.

432-1544

Relevant identified uses of the substance or mixture and uses advised against

Use

Insecticide

Restrictions on use

See product label for restrictions.

Information on supplier

Supplier

Bayer Environmental Science

2 T.W. Alexander Drive

Research Triangle PK, NC 27709

USA

Responsible Department

Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-800-331-2867

## **SECTION 2: HAZARDS IDENTIFICATION**

Classification in accordance with regulation HCS 29CFR §1910.1200

Acute toxicity(Oral, Inhalation): Category 4

Labelling in accordance with regulation HCS 29CFR §1910.1200



Signal word: Warning

Hazard statements

Harmful if swallowed or if inhaled

**Precautionary statements** 

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Avoid breathing mist and spray.



# **TEMPRID® FX INSECTICIDE**

Version 3.0 / USA 102000019505

3/12 Revision Date: 01/11/2017 Print Date: 04/24/2019

**Treatment** 

Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.

#### **SECTION 5: FIREFIGHTING MEASURES**

Extinguishing media

Suitable

Water spray, Foam, Carbon dioxide (CO2), Dry chemical

Unsuitable

None known.

Special hazards arising

from the substance or mixture

Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective

equipment for firefighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

Further information

Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Flash point

> 93.3 °C

Auto-ignition temperature

360 °C / 680 °F

Lower explosion limit

No data available

Upper explosion limit

No data available

**Explosivity** 

Not explosive

92/69/EEC, A.14 / OECD 113

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

**Precautions** 

Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

Additional advice

Use personal protective equipment. If material is accidentally spilled,

do not allow to enter soil, waterways or waste water canal.



## **TEMPRID® FX INSECTICIDE**

Version 3.0 / USA 102000019505

5/12 Revision Date: 01/11/2017 Print Date: 04/24/2019

Glycerine	56-81-5	5 mg/m3 (TWA)	06 2008	TN OEL
(Respirable fraction and dust or fume.)		, ,		1 1
Glycerine (Total dust and mist.)	56-81-5	10 mg/m3 (TWA)	06 2008	TN OEL
Glycerine	56-81-5	5ug/m3 (AN ESL)	03 2014	TX ESL
Glycerine	56-81-5	1000ug/m3 (ST ESL)	03 2014	TX ESL
Glycerine	56-81-5	50ug/m3 (ST ESL)	03 2014	TX ESL
Glycerine	56-81-5	100ug/m3 (AN ESL)	03 2014	TX ESL

<sup>\*</sup>OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

## **Exposure controls**

## Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection

Chemical resistant nitrile rubber gloves

Eye protection

Safety glasses with side-shields

Skin and body protection

Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance** 

white to beige

**Physical State** 

suspension

Odor

characteristic

**Odour Threshold** 

No data available

pН

ca. 6.9 at 10 %

Vapor Pressure

No data available

Vapor Density (Air = 1)

No data available

Density

1.16 g/cm3 at 20 °C



## TEMPRID® FX INSECTICIDE

Version 3.0 / USA 102000019505

**7/12**Revision Date: 01/11/2017
Print Date: 04/24/2019

Ingestion

Harmful if swallowed.

Information on toxicological effects

Acute oral toxicity

LD50 (female Rat) > 1,044 mg/kg

Acute inhalation toxicity

LC50 (Rat) > 2.03 mg/l Exposure time: 4 h

Determined in the form of liquid aerosol.

highest concentration tested

No deaths

Acute dermal toxicity

LD50 (Rat) > 2,000 mg/kg

Skin irritation

slight irritation (Rabbit)

Eye irritation

Mild eye irritation. (Rabbit)

Sensitisation

Non-sensitizing. (Guinea pig)

## Assessment STOT Specific target organ toxicity - repeated exposure

Imidacloprid did not cause specific target organ toxicity in experimental animal studies. The toxic effects of Beta-Cyfluthrin are related to transient hyperactivity typical for pyrethroid neurotoxicity.

## Assessment mutagenicity

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Beta-Cyfluthrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice. Beta-Cyfluthrin was not carcinogenic in lifetime feeding studies in rats and mice.

#### **ACGIH**

None.

NTP

None.

IARC

None.

**OSHA** 

None.

#### Assessment toxicity to reproduction

Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity. Beta-Cyfluthrin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Beta-Cyfluthrin is related to parental toxicity.

#### Assessment developmental toxicity



## TEMPRID® FX INSECTICIDE

Version 3.0 / USA 102000019505

Revision Date: 01/11/2017 Print Date: 04/24/2019

Does not bioaccumulate.

Mobility in soil

Imidacloprid: Moderately mobile in soils

Beta-Cyfluthrin: Immobile in soil

**Environmental precautions** 

Do not apply directly to water, to areas where surface water is present

or to intertidal areas below the mean high water mark.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Drift and runoff from treated areas may be hazardous to aquatic

organisms in adjacent sites.

Do not apply this product or allow it to drift to blooming crops or weeds if

bees are visiting the treatment area.

Apply this product as specified on the label.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

**Product** 

Pesticide, spray mixture or rinse water that cannot be used according to

label instructions may be disposed of on site or at an approved waste

disposal facility.

Never place unused product down any indoor or outdoor drain.

Follow advice on product label and/or leaflet.

Contaminated packaging

Do not re-use empty containers.

Triple rinse containers.

Add washings to sprayer at time of filling.

Puncture container to avoid re-use.

Dispose of empty container in a sanitary landfill or by incineration, or, if

allowed by State/Provincial and local authorities, by burning.

If burned, stay out of smoke.

Follow advice on product label and/or leaflet.

**RCRA** Information

Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

## **SECTION 14: TRANSPORT INFORMATION**

49CFR

Not dangerous goods / not hazardous material

IMDG

**UN** number

3082

Class

9

Packaging group Marine pollutant Ш

Proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(BETA-CYFLUTHRIN, IMIDACLOPRID SOLUTION)



11/12

## TEMPRID® FX INSECTICIDE

Version 3.0 / USA 102000019505

Revision Date: 01/11/2017 Print Date: 04/24/2019

#### **EPA/FIFRA Information:**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word:

Caution!

Hazard statements:

Harmful if absorbed through skin.

Harmful if swallowed. Moderate eye irritation.

Avoid contact with skin, eyes and clothing.

Wash thoroughly with soap and water after handling.

#### SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49 US. ACGIH Threshold Limit Values **ACGIH** 

ATE Acute toxicity estimate

Chemical Abstracts Service number CAS-Nr.

Comprehensive Environmental Response, Compensation, and Liability Act CERCLA

**EINECS** European inventory of existing commercial substances

**ELINCS** European list of notified chemical substances **IARC** International Agency for Research on Cancer IATA International Air Transport Association International Maritime Dangerous Goods **IMDG** 

Not otherwise specified N.O.S.

US. National Toxicology Program (NTP) Report on Carcinogens NTP Organization for Economic Co-operation and Development OECD

Transportation of Dangerous Goods TDG

Time weighted average **TWA** 

**United Nations** UN

World health organisation WHO

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 0

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Others - none

Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Reviewed and updated for general editorial purposes. The following sections have been revised: Section 2: Hazards Identification.